





# bizhub INFO-PALETTE FORM & **FUNCTION:**

FAST ACCESS TO THE BUSINESS INFORMATION YOU NEED.



The bizhub C554/C454 can streamline your workflow and supercharge your output with superior colour imaging at faster output speed. standard single-pass dual scanning and modular finishing options to

handle a wide range of documents. The Revolutionary INFO-Palette design also brings a new dimension of business information to your MFP screen, including downloadable apps\* that enhance your productivity. A simple "touch and swipe" interface gives you fast, intuitive function control – and quiet, environmentally sensitive operation makes your workplace more comfortable even on the busiest business days.

#### The innovative interface of INFO-Palette design.

The intuitive "touch & swipe" interface of your bizhub C554/C454 may surprise you. In action, it's as smooth and simple as today's advanced mobile devices. A bright 9" colour screen incorporates next-generation functions like pop-up menus and scrolling function keys. Hard keys provide touch-sensitive control. You can customize command icons to suit your workflow, changing their position and deleting the ones you rarely use. You even have the option to add an external keyboard for more flexible command input.

Enhanced screen resolution is a big advantage for previewing colour documents before you print. And your MFP screen gives you access to downloadable applications\* from the bizhub MarketPlace – simple but powerful productivity enhancements that speed your work and increase your access to essential information.

Your bizhub control panel can also be tilted and adjusted from 23° to 55°, providing extra accessibility for Section 508 compliance. Amber, blue and white LEDs are easier for the vision-impaired to see. You can also add an optional Voice Guidance system to provide audible control instructions.



convenience for

for fast, user-





### Compact, high-speed output with easy access for all.

A document solution that puts more speed, more power and more information at the hub of your business — that's the distinct advantage of Konica Minolta's bizhub C554 and C454. Their 360° design looks great in the center of your workplace, providing fast access for busy employees. Print control is built-in, giving you full functionality with simple, intuitive touch-screen commands that are easy even for first-time users. And compact auto finishing options help you fit more productivity power in less floor space.

The benefits begin with output speeds of 55 ppm (bizhub C554) and 45 ppm (bizhub C454) in both colour and B&W. Both models feature a dual-scanning document feeder that enables you to scan both sides of the page in a single pass, so you can handle up to 160 originals per minute to bring information into your workflow faster. You can also scan to multiple destinations, keeping everyone in the loop.

Fast auto finishing lets you produce high-quality reports, presentations, brochures and manuals in full colour or cost-effective B&W — with true 1200 x 1200 dpi printing to reproduce charts and graphics, halftone photos and corporate colours with vivid accuracy. Tab printing allows you to create section dividers for training and human resource binders. Special features provide superior performance for today's specialized healthcare, legal and educational applications — including seamless integration with industry-standard software and enhanced security to protect sensitive patient, client and student information.

Best of all, in-house document creation means increased productivity at an affordable cost — no need for time-consuming outsource printing. You can update, print and reprint on demand, maintain control of sensitive personal or business information, produce electronic forms with variable data, and even create direct-mail marketing flyers and postcards.









1200 DPI

Konica Minolta's exclusive Simitri HD toner formulation uses smaller and more consistant particles to reproduce images with greater detail and sharper more legible text at true 1200 dpi resolution.

## Environmental protection in a quiet productivity powerhouse.

With our Clean Planet program, you can also recycle all consumables from any manufacture rmore easily — with prepaid labels and cost-free packaging for toner cartridges and bottles, imaging units, developer and drums. And our Eco Vision 2050 project is committed to reducing CO2 emissions by 80% over 2005 levels, minimizing greenhouse gases that may contribute to global warming.





## INCREASING YOUR OUTPUT, CONTAINING YOUR COSTS.

The advanced features, functions and built-in benefits of the bizhub C554/C454 help you realize the full potential of MFP workflow. You can print, copy, scan and distribute with greater ease and convenience. You can finish documents with automated speed and flexibility, producing superior colour quality and professional-looking stapled, hole-punched, saddle-stitched, even tri-folded output. You can also customize a right-size solution for your business needs — and take advantage of the latest print utilities and Cloud services to upload and access documents from any location.

#### Fast start-up, quick test pages and long print runs.

With warm-up in less than 25 seconds and fast first-copy output, the bizhub C554 and C454 will be ready when you are. High-speed internal processing keeps print jobs moving even when they include highly detailed colour graphics and halftone images.

To save time and reduce the need for resets and reprints, Proof Copy/Print lets you run off a quick test page so you can check your settings before starting your entire print run. Carbon Copy printing saves time by outputting the same data continuously from multiple paper trays in different paper weights or colours — for example, white for immediate distribution, yellow for forwarding, green for filing.

You'll also have high maximum paper capacity — up to 6,650 sheets, with standard dual paper feed cabinets and your choice of optional large capacity paper units that support long print runs without operator intervention. The bizhub C554/C454 can accommodate media in sizes up to 12" x 18" and weights from thin 14 lb. bond paper (52 gsm) to thick 100 lb. cover stock (300 gsm), with duplex output at full rated engine speed. Tab Printing lets you print tabbed pages from the multiple bypass tray and use the interleave function to insert tabs into information packets and manuals for binders.

#### Finishing options for in-house colour printing.

The modular finishing options available for your bizhub C554 and C454 allow you to customize a document solution that handles all the documents and formats your business needs — in-house and on-demand, to save time and money.

The bizhub C554 accepts a powerful 100-sheet FS-535 Staple Finisher with modular options for 80-page booklet-making, multi-position hole punching, Z-folding, post insertion or job separation — giving you a full-function auto-finishing system with maximum versatility in minimum floor space.

Both bizhub models also accept an FS-534 Staple Finisher that performs 50-sheet multi-position stapling, with an add-on 2/3 Hole Punch Kit and Saddle-Stitch Unit for 80-page booklets with support for tri-fold sheets – and an ultra-compact FS-533 Internal Finisher that provides corner stapling or 2-position stapling. You can also add the optional PK-519 Punch Kit for 2/3-hole punching and the JS-506 Job Separator Tray option to sort prints, copies or faxes.





The versatile FS-535 (C554 only) and FS-534 Staple Finishers support multiple add-ons giving you finishing capabilities such as hole-punching, booklet-making, and job separation.



easy printing from and scanning to USB thumb drives as well as quick importing and exporting of User Box files.

A standard USB

connector allows

#### Versatile scanning features to fit any workflow.

Scan to PowerPoint lets you convert hard-copy documents to PowerPoint files easily and automatically. Scan to PDF/A and Linearized PDF capabilities optimize documents for display or archiving. You can scan to email, FTP, SMB, USB and perform TWAIN scanning using simple command icons on your bizhub touch-screen panel. You can also scan directly to convenient User Boxes for individuals, departments, workgroups and projects.

Scan-to-Me and Scan-to-Home capabilities let you move documents quickly to secure locations. Distributed Scan compatibility with Windows 7 Servers lets you automate the process by sending documents directly to a "Scan Server" set up to follow your instructions. Using PageScope Mobile software, you can even send scanned data to mobile devices for use on business trips or in the field.

Blank page removal saves paper by eliminating blank pages during scanning — and you'll have a real-time preview of scanned images, so there's no guesswork about the files being sent.

### Print control with processing for files in any format.

For high-volume productivity right from the start, the Emperon® print system built into the bizhub C554 and C454 includes PCL6/PS3 emulation, native XPS functionality, and a universal printer driver that allows you to manage your printing using standard familiar commands. Microsoft Office Open XML support also lets you perform fast drag-and-drop printing of the latest Microsoft Office files, including docx, xlsx, and pptx.

Built-in PostScript 3 emulation features a more versatile ICC profile for specialized or detailed colour settings. The PostScript driver includes Auto Trapping and Black Overprint modes. Sophisticated colour conversion imaging and a scanner with enhanced dynamic range enable your prints and copies to capture more consistent dark colours and light greens.

A convenient USB connector on your bizhub lets you easily print and save document files to/from flash memory devices. And you can take advantage of new Cloud-services-based applications\* from the bizhub MarketPlace for fast, flexible document storage and retrieval from Google, SharePoint, etc.

Direct Print supports the newly adopted document format Office Open XML – saving you time by allowing drag-anddrop printing of many popular file formats.









# bizhub SOFTWARE & SECURITY:

EXPANDING YOUR FUNCTIONALITY, PROTECTING YOUR DATA.

Konica Minolta makes it easy to customize a total document system to fit your needs — including a powerful Fiery Image Controller for graphics-intensive applications and a Super G3 high-speed fax with multi-line options. You'll have access to downloadable apps\* to boost your productivity, i-Option kits for the additional capabilities your application demands, and a wide array of 3rd-party business software — including variable-data mailing, account tracking, cost recovery, and industry-standard programs for healthcare, education, legal and other specialized applications.

### Increase your productivity with apps and i-Options.

With IWS, the bizhub C554/C454 offers an ingenious advantage that will improve your productivity and customize the user experience at the MFP: bizhub MarketPlace apps\*. With direct access to downloadable apps from the bizhub MarketPlace, you can display a corporate announcement, choose from a library of commonly used business forms and templates, check on the status of your MFP's security settings, and view and print Google documents and emails. You can also access SharePoint documents, scan originals to both Google and SharePoint, order Clean Planet recycling boxes or print Clean Planet shipping labels, and much more — all without ever leaving the MFP.

Konica Minolta's i-Option kits are available to add specialized functions to your bizhub MFP, including LK-101 v3 for web-browser support, LK-102 v3 for PDF/A, Linearized PDF and AES 128-bit PDF encryption support, LK-104 v3 for Voice Guidance operation, LK-105 v3 to create searchable PDF files, and LK-106, 107 and 108 to provide support for Bar Code Font, Unicode Font and OCR Font printing.



## bizhub MarketPlace

With the bizhub MarketPlace your bizhub MFP can become even more powerful by downloading bizhub apps — letting you add new functionality, enhance your connectivity and improve your workflow.

<sup>\*</sup>Not available at time of launch. Options required.

<sup>\*\*</sup>Anticipated CAC/PIV availability Fall 2012.



## A Fiery option for advanced colour and print queue management.

Graphics applications and light production printing environments have special needs — so the bizhub C554 and C454 also provide an optional IC-414 Fiery Image Controller to help you manage colour printing, colour matching and advanced print queue control. The IC-414 incorporates standard EFI Command Workstation functionality, Fiery Remote Scan, and EFI WebTools. Standard Fiery VUE software helps you orchestrate all elements into a professional high-impact result — and you'll be able to handle specific Pantone colour requirements, manage print queues more effectively, and fine-tune colour output to suit the needs of any job.

Fiery Graphic Arts Options also include Auto Trapping, Hot Folder printing with embedded job ticket settings, job setup with finishing options and imposition attributes for drag-and-drop printing. An optional Colour Profiler suite allows you to create customized ICC profiles with CMYK devices.





Biometric Authentication, HID Proximity Cards, and several other security options help guard your bizhub from unauthorized use.

## Enhanced security to protect sensitive business data.

The bizhub C554 and C454 provide powerful security safeguards and systems, including an optional built-in IC card reader for fast, simple ID card authorization. Both models are currently in evaluation to meet strict ISO 15408 security standards. They also accept a wide array of specialized options to fit the needs of your application, including Biometric Authentication, input for HID Proximity Cards, iClass Cards and Magnetic Stripe Cards, and CAC/PIV Card\*\* support.

Konica Minolta's bizhub SECURE, a professional security service, provides a powerful level of lock-down protections that guard your bizhub from unauthorized operation.

You can initiate encrypted PDF workflow to protect information passing from PCs to networked bizhub devices. IP filtering registers IP addresses of the PCs on your network. An optional Copy Guard system can require password access to make copies. HDD Lock can apply password protection to your bizhub hard disk drive.

To protect information once stored on your bizhub hard disk drive, the Job Erase function automatically overwrites your HDD up to three times — meeting the criteria of DoD 55220.22-M (Department of Defense) and NAVSO P-5239-26 (US Navy). And when your bizhub is reassigned to another location or removed from service, HDD Sanitizing can overwrite data in eight different modes so no sensitive information is compromised.

### Seamless integration of PageScope and 3rd-party software.

Konica Minolta's bizhub Extended Software Technology (bEST) makes the bizhub C554 and C454 ideal for software programs from 3rd-party developers — with bizhub Open API design to enable direct keyboard control of most business software.

PageScope Enterprise Suite provides a powerful set of productivity tools for server-based authentication and account tracking − including a MyPanel Manager utility to customize the interface that appears at each bizhub MFP and disappears when users log out. PageScope Web Connection gives each bizhub device its own "internal website." PageScope Net Care Device Manager provides fast, simple IT management of multiple devices from a single point. PageScope Print Status Notifier provides automatic alerts to speed your workflow. PageScope Data Administrator™ handles addresses, passwords, and accounts with ease − and PageScope Box Operator lets you download and access scanned User Box data from your PC.

Your bizhub also provides a seamless interface to a wide range of software for general business as well as specialized legal, educational and healthcare environments.

The PageScope® Mobile App enables busy professionals to print from smartphones and other portables directly to networked bizhub devices.





#### COUNT ON KONICA MINOLTA

Konica Minolta Business Solutions (Canada) Ltd., is a leader in advanced document management technologies and managed print services. Our product line spans desktop to print shop — and your bizhub products receive superior service and support from our nationwide network of Konica Minolta corporate sales offices and authorized dealers. With over 37,000 worldwide employees and cutting-edge research programs in optical and digital technology, we're proud of our record of achievement. In 2012, for the fifth straight year, Konica Minolta has been recognized as the #1 Brand for Customer Loyalty in the MFP Office Copier Market by Brand Keys. Our bizhub color and B&W A3 MFP line has also been named "Line of the Year" for the second year in a row by BLI (Buyer's Laboratory LLC). Konica Minolta has been listed among the Brand Keys top 100 Brand Loyalty Leaders — and we're the only copier company to be ranked among the top 100 brands.





FULL COLOUR PRINTER/COPIER/SCANNER/FAX

bizhub C554	bizhub C454

SPECIFICATIONS  Type / Toner System / Print Method  Monthly Duty Cycle (pages)		
Monthly Duty Cycle (pages)	Full-Colour Printer/Copier/Scanner with Statio	nary Platen / Simitri HD Toner with Biomass / Tandem Process
	200,000	150,000
Print / Copy Speed (Letter, portrait)	Full Colour & B&W: 55ppm	Full Colour & B&W: 45ppm
DF-701 Dual Scanner Document Feeder	Full Colour/B&W Duplex Speed: 160 opm, Full Colour/B&W Simplex Spee	ed: 80 opm, Paper Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17"
Power Requirements / Consumption		z) / 1920W or less
TEC Value	3.94 kWh	3.20 kWh
Dimensions / Weight		36.3"(H) / 220.5 lbs
0	2 1.2 (W) X 21 (D) .	(1) / 220.0 100
COPY	Locathan CO accorde / Full Colour, 4 C accorde or loca RSW, 4.1 accorde or loca	Less than OF seconds / Full Colour. F. F. seconds on less DOW: 4.C. seconds on less
Warm-up Time / First Copy Time	Less than 22 seconds / Full Colour: 4.6 seconds or less, B&W: 4.1 seconds or less	Less than 25 seconds / Full Colour: 5.5 seconds or less, B&W: 4.6 seconds or less
Copy Resolution / Quantity	600 x 600 dpi / 1-9,999	
Magnification	Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 78.5%, 73.3%, 64.7%, 50.0%, Preset enlargement: 121.4%, 129.4%, 154.5%, 200%	
Copy Exposure Modes	Text (legible text), Text/Photo (clear text and halftones), Photo (optimized for gradations	, Map (fine edges and legible text), Dot Matrix (dot matrix or pencil originals), Copied Paper
PRINT: Emperon Print System with bizhub Extende	d Solution Technology / Open API	
Processor / Memory / Hard Disk Drive	1.2 GHz (MPC8536) / 2GB RAI	M / 250GB (Shared with the copier)
Print Resolution / Grayscale Gradations		200 x 1200 dpi / 256 shades per pixel
Page Description Language / Fonts		aper Specification); PCL: 80 Roman fonts, PostScript 3 Emulation: 137 Roman fonts
Operating System Compatability		sta (x32, x64), Windows 7 (x32, x64), Windows Server 2003 Standard/Enterprise (x32, x64),
oporating dystom computability		108 Standard/Enterprise (x32, x64), Window Server 2008 Standard/Enterprise R2;
		3 Standard/Enterprise (x32, x64), Window Server 2008 Standard/Enterprise R2;
		r, OS X 10.5 (Intel) or later / Linux: Red Hat Enterprise
Interface		Base-T, USB 1.1, USB 2.0, USB Host
Network Protocols		, RAW Socket, SMB, IPP, HTTP, POP, SMTP, LDAP, NTP, SSL, IPX, AppleTalk, Bonjour, NetBEUI,
	WebDAV, DPWS, S/MIME, IPSec, DNS	DynamicDNS, LLMNR, LLTD, SSDP, SOAP
COPY / PRINT FUNCTIONS		
Features	Account Track (1,000 accounts), Administration Mode, Auto Dunley, Auto Tray Switchi	ng, Bi-Directional Communication, Black Over Print, Card Shot, Colour Modes & Functions
i catules		Adjustments), Copy Guard, Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, Book, Booklet,
		er, Base Colour, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing,
		Sort, Staple, Punch, Half-Fold, Tri-Fold, Center Staple and Fold), Form Overlay, Glossy Mode,
		ing, Pure Black Auto ON/OFF, Colour Balance, Screen Settings, Image Smoothing ON/OFF),
		ob Reserve, Job Skip, LDAP, Mixplex, Mix-Media, MyTab, Non-Image Area Erase, OHP Interleaving
	Password Copy, Program/Recall Jobs, Paper Type Selection (Normal, Thick 1/1+, Thick 2, Thick	
	Booklet + Bind), Print from USB, Proof Copy, Secure Printing, Separate Scan, Tab Printing, Text	Enhancement, User Authentication (Up to 20 Authentication Servers)(Synchronize w/Account Trac
	User Box Function, Utility (Meter Count, Environment Settings, Default Sett	ngs, One-Touch Settings, Check Consumable Life), Watermark, Zoom Selection
SCAN		
Scan Resolutions / File Formats / Colour Modes	200 dpi 300 dpi 400 dpi 600 dpi / TIFE PDF Compact PDF JPEG XPS Cor	npact XPS, PPTX / Auto Colour, Full Colour, Black & White, 2-Colour, Single Colour
Scan Functions		Scan-to-SMB (Scan-to-Desktop), Scan-to-USB, Scan-to-WebDAV, Distributed Scan Managemen
Court anotions		Scan, Colour Internet Fax
EV E44 EAV WT (ORTIONAL)	NGWOIK I WAIN, WO	ocali, coloui internet i ax
• FK-511 FAX KIT (OPTIONAL)	0 00 1111111 00 0 1//	LAMILAND MAD IDIO L
Compatability / Compression		speed / MH, MR, MMR, JBIG data compression
Fax Transmission Speed / Fax Memory		solution) / 2 GB (shared print, copy, scan, fax memory)
Fax Line Mode / Fax Exposure Mode		ext/Photo, Photo, Dot Matrix
	Autodialing (2,000 addresses) Auto Mamon, Desention Auto Deduction Printing President	ting (maximum 600 locations), Bulletin Board, Duplex Transmission/Reception, F-Code Support,
Fax Functions		
Fax Functions	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fax
Fax Functions	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re	
Fax Functions Options	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/ReIP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fax
Options	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/ReIP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P	ception, Memony/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing
Options PAPER HANDLING	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, Print Setting or Overnight Reception, Print Setting or TX-Marker Stam	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fav ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing o 2, SP-501 Fax Stamp Unit
Options PAPER HANDLING Original Size	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam Up to 11" x 17" (scanning/copying), Up to 1	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fav ogram Dialling (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing o 2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing)
Options PAPER HANDLING	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam Up to 11" x 17" (scanning/copying), Up to 1 Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fav ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 1.2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing) Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inder
Options  PAPER HANDLING  Original Size Paper Trays	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 1.2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing) Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde: 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm
Options PAPER HANDLING Original Size Paper Trays  • PC-110 Paper Feed Cabinet	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fax ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde: 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing) Tray 2: 500-sheet (universal cassettle) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde: 13" / Banner Paper (/16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stams  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500 sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 5	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa cogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing b 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index
Options  PAPER HANDLING  Original Size Paper Trays  • PC-110 Paper Feed Cabinet • PC-210 Paper Feed Cabinet • PC-410 Paper Feed Cabinet • LU-204 Large Capacity Unit	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stams  Up to 11"x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 6" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / 500-sheets / 8.5" x 11", 11" x	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa cogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 1.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing).  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lslcap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" // 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index
PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   Iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index / 17", 12" x 18"/14 lb. bond to 140 lb. index / 14 lb. bond to 140 lb. index
PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 1.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lslcap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lslcap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lslcap: 8.7" x 13
PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-shee	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing b 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm caps: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)
PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-sheets / 8.5" x 11" x 17" / 14 lb. bond to 140 lb. index / Fool 500-shee	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing b 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   Iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index / 17", 12" x 18"/14 lb. bond to 140 lb. index / 14 lb. bond to 140 lb. index
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 6,500-sheets / 8.5" x 11", 8.5" x 14", 11"  2,500-sheets/8.5" x 11", 8.5" x 14"  6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility
Options  PAPER HANDLING  Original Size Paper Trays  • PC-110 Paper Feed Cabinet • PC-210 Paper Feed Cabinet • PC-410 Paper Feed Cabinet • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   Iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  tillity, Download Manager (ICC Colour Profile Utility), Log Management Utility Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare suppr
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Folse 2,500-sheets / 8.5" x 11"	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing by 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm casp: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility  Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 600-sheets / 8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up U PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrint PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrint AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet U-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11"  2,500-sheets/8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrint PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrint  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 World	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   Iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   1/14 lb. bond to 140 lb. index   17" x 12" x 18"/14 lb. bond to 140 lb. index   17" x 12" x 18"/14 lb. bond to 140 lb. index   17" x 12" x 18"/14 lb. bond to 140 lb. index   17" x 12" x 18"/14 lb. bond to 140 lb. index   18" x 13"   18" x
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS  Authentication / Security Options External Keyboard	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot 2,500-sheets / 8.5" x 11" 3,000-sheets / 8.5" x 11", 11" 3,000-sheets / 8.5" x 11", 11" 3,000-sheets/8.5" x 11" PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Work KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Gu	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing by 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 17.18 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare support to support Authentication Devices, MK-735 Internal Mount Kit idance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options  External Keyboard i-Option	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Marker Stam Sypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11" a 3.000-sheets / 8.5" x	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing by 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm casp: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard) init, AU-202H HD iClass Card Authentication Devices, MK-735 Internal Mount Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 3,000-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 7,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 2,500-sheets/8.5" x 11" 8,5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 3,000-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 8,65" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 2,500-sheets/8.5" x 11" 8,65" x 11" 9,6650-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,500-sheets/8.5" x 11" 1,65" x 11" 1,85" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,65" x 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,500-sheets/8	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing by 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"    slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"    1/14 lb. bond to 140 lb. index    1/15 lb. bond to 140 lb. index    1/15 lb. bond to 140 lb. index    1/16 lb. bond to
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options  External Keyboard i-Option	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11"  2,500-sheets/8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Worl KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice GL LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Option, LK-50-33 50-Sheet Inner Staple Finisher, FS-534 50-Sheet Staple Finisher, FS-535 i OT-506 Output Tray (Exit Tray), PI-505 Post Inserter (FS-535)**, PK-519 Punch Kit (FS-533), PK	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support to Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  Init, AU-202H HID IClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit idiance, EK-607 USB Interface for External Reyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit O-Sheet Staple Finisher**, JS-506 Job Separator, JS-602 Job Separator Tray (FS-535)**, 5-520 Punch Kit (FS-534), PK-521 Punch Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534),
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Meximum Paper Capacity Unit User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard i-Option Finishing	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 50	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare support to 140 lb. index (total with options)  Itality, Download Manager, PageScope Net Care Device Manager (standard)  Init, AU-202H HID IClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit (-106 i-Option, LK-108 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit (-5-53)**, SD-511 Saddle Stitcher Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534), 35)**, ZU-606 Z-Fold unit (FS-535)**
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS  Authentication / Security Options  External Keyboard i-Option	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 50	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PČ-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0.2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare suppit Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard) init, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit O-Sheet Staple Finisher*", JS-506 Job Separator, JS-602 Job Separator Tray (FS-35)**, -5-520 Punch Kit (FS-534), PK-521 Punch Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534),
Options  PAPER HANDLING  Original Size Paper Trays  • PC-110 Paper Feed Cabinet • PC-210 Paper Feed Cabinet • PC-210 Paper Feed Cabinet • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools • PageScope Enterprise Suite • ADDITIONAL OPTIONS • Authentication / Security Options • External Keyboard • i-Option • Finishing	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foto 600-sheets / 8.5" x 11" x 12" x	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare support to 140 lb. index (total with options)  Itality, Download Manager, PageScope Net Care Device Manager (standard)  Init, AU-202H HID IClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit (-106 i-Option, LK-108 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit (-5-53)**, SD-511 Saddle Stitcher Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534), 35)**, ZU-606 Z-Fold unit (FS-535)**
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-304 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity  APPLICATIONS Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard i-Option Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 2,500-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 7,8.5" x 14", 11" 7,900-sheets/8.5" x 11" 8,660-sheets/8.5" x 11" 9,6650-sheets/8.5" x 11" 1,8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 2,500-sheets/8.5" x 11" 1,8.5" x 14", 11" 1,8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,6650-sheets/8.5" x 11" 1,6650-sheets/8.5" x 11" 1,700-sheets/8.5" x 11" 1,8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,6650-sheets/8.5" x 11" 1,700-sheets/8.5" x 11" 1,8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 1,500-sheets/8.5" x 11" 1,6650-sheets/8.5" x 11" 1,700-sheets/8.5" x 11" 1,700-sheets/8	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PČ-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing b 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itality, Download Manager (PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  Init, AU-202H HID IClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit iddance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit iddance (-106 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit iddance (-106 i-Option, LK-108 i-Option, UK-208 i-Option, UK-208 i-Option, UK-208 i-Option, UK-208 i-Option Memory Upgrade Kit iddance (-106 i-Option, UK-208 i-Option,
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard I-Option Finishing Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11" 2,500-sheets/8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Worl KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice GL LK-101 v31-Option, LK-102 v31-Option, LK-104 v31-Option, LK-105 v31-Option, LI FS-533 50-Sheet Inner Staple Finisher, FS-535 t1 Sheet Islaple Finisher, FS-535 t1 OT-506 Output Tray (Exit Tray), PI-505 Post Inserter (FS-535)**, PK-519 Punch Kit (FS-533), PI SD-512 Saddle Stitcher Kit (FS-50) DK-510 Copy Desk, M	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0 2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing) Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. inde 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" Iscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 1.4 lb. bond to 140 lb. index x 1.7", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support t Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  nit, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, ding Table to support Authentication Devices, MK-735 Internal Mount Kit didance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-1061-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit -0-Sheet Staple Finisher**, JS-506 Job Separator, JS-602 Job Separator Tray (FS-535)**, -520 Punch Kit (FS-534), PK-521 Punch Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534), 35)**, ZU-606 Z-Fold unit (FS-535)**  K-730 Banner Paper Guide
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard Pi-Option Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foot 2,500-sheets / 8.5" x 11" 3,000-sheets / 8.5" x 11", 11" 3,000-sheets / 8.5" x 11", 11" 3,000-sheets / 8.5" x 11"  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Work KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Gu LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Option, LF-5-533 50-Sheet Inner Staple Finisher, FS-535 4 50-Sheet Staple Finisher, FS-535 10 OT-506 Output Tray (Exit Tray), PI-505 Post Inserter (FS-535)***, PK-519 Punch Kit (FS-55) DK-510 Copy Desk, M PPTIONAL)  Intel Pentium E5300 2.6 GHz/ PCL5, PCL6, Adobe PostScript 3 (version	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 174 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itality, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare support to support Authentication Devices, MK-735 Internal Mount Kit idance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-1061-Qet)ion, LK-107-jopion, UK-107-jopion, UK-108-jopion, UK-204 i-Option Memory Upgrade Kit idance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-1061-Qet)ion, LK-107-jopion, UK-108-jopion, UK-204 i-Option Memory Upgrade Kit idence, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-1061-Qet)ion, LK-107-jopion, UK-108-jopion, UK-204 i-Option, LK-107-jopion, UK-208-jopion, U
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Options PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up U PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution", SC-508 Copy Guard Kit, WT-506 World KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Gi. LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Optio	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fa ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  1" x 17" full bleed on 12" x 18" paper (printing)  1" x 17" full bleed on 12" x 18" paper (printing)  1" x 17" full bleed on 12" x 18" paper (printing)  1" x 18" paper 176 lb, bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"    1/14 lb. bond to 140 lb. index  1/15 lb. bond to 140 lb. index  1/16 lb. bond to 140 lb. index  1/17 lb. bond to 140 lb. index  1/16 lb. bond to 140 lb. index  1/17 lb. bond to 140 lb. index  1/18 lb. bond to 140 lb. index  1/19 lb. bond to 140 lb. index  1/14 lb. bond to 140 lb. index  1/15 lb. bond to 140 lb. index  1/16 lb. bond to 140 lb. index  1/17 lb. bond to 140 lb. index  1/18 lb. bond to 140 lb. index  1/19 lb. bond to 140 lb. index  1/14 lb. bond to 140 lb. index  1/15 lb. bond to 140 lb. index  1/16 lb. bond to 140 lb. index  1/17 lb. lb. bond to 140 lb. index  1/16 lb. bond to 140 lb. index  1/17 lb.
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity  APPLICATIONS Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard Pi-Option Finishing  Others  FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts Operating System Compatability	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 550-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets/8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrint PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrint  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 World KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Gu LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Option, LK FS-533 50-Sheet Inner Staple Finisher, FS-534 50-Sheet Staple Finisher, FS-535 (OT-506 Output Tray (Exit Tray), PI-505 Post Inserter (FS-535)**, PK-519 Punch Kit (FS-533), PK SD-512 Saddle Stitcher Kit (FS-50PTIONAL)  Intel Pentium E5300 2.6 GHz / PCL5, PCL6, Adobe YostScript 3 (version PCL6, PS3: Windows XP (x32, x64), Windows VIsta (x32, x64), Windows XP (x32, x64),	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Far ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   slecap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   /14 lb. bond to 140 lb. index  x 17", 12" x 18"/14 lb. bond to 140 lb. index  (total with options)  tility, Download Manager (ICC Colour Profile Utility), Log Management Utility Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support to Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  niti, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit (idance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit 0-Sheet Staple Finisher**, JS-506 Job Separator, JS-602 Job Separator Tray (FS-535)**, -520 Punch Kit (FS-534), PK-521 Punch Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-534), 33)**, ZU-606 Z-Fold unit (FS-535)**  K-730 Banner Paper Guide  2 GB (standard/max) / 160 GB HDD  3019) / PCL: 80 fonts, Adobe PS3: 138 fonts ws 7 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64); (print driver), 10.5.x, 10.6.x; Unix/Linux
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard Pi-Option Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets / 8.5" x 11" 3,000-sheets / 8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up L PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrin  AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Worl KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice GL LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Optio	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Farogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. indet 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" lscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 17.18 lb. bond to 140 lb. index x 17", 12" x 18"/14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility for Unix / bizhub vCare support to Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  nit, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (~106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (~106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (~106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (~106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support Tray (FS-535)**  -520 Purch Kit (FS-534), PK-521 Punch Kit (FS-535)**, SD-511 Saddle Stitcher Kit (FS-535)**  -570 Banner P
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Mesimum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite AdDITIONAL OPTIONS Authentication / Security Options External Keyboard I-Option Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts Operating System Compatability Interface / Protocols	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Rec IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam Up to 11" x 17" (scanning/copying), Up to 1 Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11"	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Favogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. index 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" / 14 lb. bond to 140 lb. index / 14 lb. bond to 140 lb. index (total with options)  Itility, Download Manager (ICC Colour Profile Utility), Log Management Utility  Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix / bizhub vCare support to Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard)  Init, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, sing Table to support Authentication Devices, MK-735 Internal Mount Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-208 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-208 i-Option Memory Upgrade Kit idiance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance (<-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-208 i-Option Memory Upgrade Kit idiance, EK-607 USB interface for External Keyboard,
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options Finishing FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts Operating System Compatability Interface / Protocols Standard Software	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Fools 500-sheets / 8.5" x 11" 3,000-sheets/8.5" x 11" 6,650-sheets  PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up U PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope MyPrint PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrint AU-102 Biometric Authentication Unit, AU -201H HID Proximity Card Authentication L AU-211P CAC/PIV Solution", SC-508 Copy Guard Kit, WT-506 Worl KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Gu LK-101 v3 i-Option, LK-102 v3 i-Option, LK-102 v3 i-Option, LK-105 v3 i-Option,	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Favogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing to 2, SP-501 Fax Stamp Unit  1" x 17" full bleed on 12" x 18" paper (printing)  Tray 2: 500-sheet (universal cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. index 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm  cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"   1/4 lb. bond to 140 lb. index   1/4 lb.
Options  PAPER HANDLING  Original Size Paper Trays  PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet PC-210 Paper Feed Cabinet LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity  APPLICATIONS  Network & Device Management User Tools / Management Tools PageScope Enterprise Suite ADDITIONAL OPTIONS Authentication / Security Options External Keyboard I-Option Finishing  Others FIERY IC-414 EMBEDDED IMAGE CONTROLLER (C Processor / Memory / Hard Disk Drive Page Description Language / Fonts Operating System Compatability Interface / Protocols	Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Re IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, P Spare TX-Marker Stam  Up to 11" x 17" (scanning/copying), Up to 1  Tray 1: 500-sheet (universal cassette) / 5.5" x 8.5" to 11" x 17" / 14 lb. bond to 140 lb. index  Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x  500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 500-sheets (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foots 2,500-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 6,650-sheets/8.5" x 11" 7,000-sheets/8.5" x 11" 7,000-sheets/8	ception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Faz ogram Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing 0 2, SP-501 Fax Stamp Unit 1" x 17" full bleed on 12" x 18" paper (printing) 1" x 17" full bleed on 12" x 18" paper (printing) 1" x 17" full bleed on 12" x 18" paper (printing) 1" x 17" full bleed on 12" x 18" paper (printing) 1" x 18" paper 176 lb, bond to 100 lb. cover up to 300 gsm cap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" slscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" 1/14 lb. bond to 140 lb. index 1/15 lb. bond to 140 lb. index 1/16 lb. bond to 140 lb. index 1/17 lb. bond to 140 lb. index 1/18 lb. bond to 140 lb. index 1/19 lb. bond to 140 lb. index 1/14 lb. bond to 140 lb. index 1/15 lb. bond to 140 lb. index 1/16 lb. bond to 140 lb. index 1/17 lb. bond to 140 lb. index 1/17 lb. bond to 140 lb. index 1/17 lb. bond to 140 lb. index 1/18 lb. bond to 140 lb. index 1/19 lb. bond to 140 lb. index 1/19 lb. bond to 140 lb. index 1/10 lb. bond to 140 lb. index 1/16 lb. bond to 140 lb. index 1/17 lb. bond to 140 lb. index 1/18 lb. bond to 140 lb. index 1/18 lb. bo



KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. 369 Britannia Rd. E

Printed on a: bizhub PRESS C6000

Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

© 2012 KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica MinoLta Business solutions (a registered trademark of KONICA MINOLTA HOLDINGS, INC. Simitri is a registered trademark of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks or trademarks of their respective owners.























Mississauga, ON L4Z 2H5 www.konicaminolta.ca